



Safety Data Sheet

Section 1: Identification

Product identifier

- Product Name** • **Erythromycin-Benzoyl Peroxide Topical Gel**
- Product Code** • NDC 68682-900-23; NDC 68682-901-46; NDC 68682-922-46 Benzoyl peroxide gel; NDC 68682-923-23 Benzoyl peroxide gel; NDC 68682-924-08 Erythromycin; NDC 68682-925-16 Erythromycin

Relevant identified uses of the substance or mixture and uses advised against

- Recommended use** • For the treatment of acne.
- Restrictions on use** • Refer to the product insert and/or prescribing information for restrictions on use and contraindications.

Details of the supplier of the safety data sheet

- Manufacturer** • Valeant Pharmaceuticals North America, LLC
2150 St. Elzear West
Laval H7L 4A8
Canada
valeant.com
- Telephone (General)** • 1-800-321-4576

Emergency telephone number

- Manufacturer** • 1-800-535-5053 - US - Infotrac
- Manufacturer** • +1 352-323-3500 - International - Infotrac

Section 2: Hazard Identification

UN GHS

According to: UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

Classification of the substance or mixture

- UN GHS** • Skin Sensitization 1
Skin Irritation 2
Eye Irritation 2A

Label elements

UN GHS

WARNING



- Hazard statements** • Causes serious eye irritation
Causes skin irritation
May cause an allergic skin reaction

Precautionary statements

Prevention ● Wash thoroughly after handling.
Wear eye/face protection - safety glasses, face shield.
Wear protective gloves.

Response ● **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
IF ON SKIN (and not prescribed): Wash with plenty of soap and water.
If skin irritation occurs: Get medical advice/attention.
Wash contaminated clothing before reuse.

Storage/Disposal ● Keep tightly closed. Prior to reconstitution, store at room temperature 15-30°C (59-86°F), to maintain product integrity. After reconstitution, store refrigerated 2-8°C (36-46°F). Do not freeze. Use before expiration date marked on carton and/or container. Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Other hazards

UN GHS

● No data available

Section 3 - Composition/Information on Ingredients

Substances

● Material does not meet the criteria of a substance according to United Nations Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

Mixtures

Composition			
Chemical Name	Identifiers	%	Classifications According to Regulation/Directive
Erythromycin	CAS:114-07-8 EINECS:204-040-1	3%	UN GHS: Skin Irrit. 2; Eye Irrit. 2A
Benzoyl peroxide gel vehicle		N/A	UN GHS: NDA
Carbomer homopolymer 980 [1.5%]	CAS:9003-01-4	1% TO 5%	UN GHS: not classified
Sodium hydroxide [0.4095%]	CAS:1310-73-2 EINECS:215-185-5	< 1%	UN GHS: Skin Corr. 1A
Ethanol [15%]	CAS:64-17-5 EINECS:200-578-6	10% TO 20%	UN GHS: Skin Irrit. 2; Eye Irrit. 2A; Muta. 1B; Repr. 1B
Methyl salicylate [0.05%]	CAS:119-36-8 EINECS:204-317-7	< 0.1%	UN GHS: not classified
Diocetyl sodium sulfouccinate [0.2%]	CAS:577-11-7 EINECS:209-406-4	< 1%	UN GHS: Skin Irrit. 2; Eye Irrit. 2A; Acute Tox. Oral 4
Water [74.078%]	CAS:7732-18-5 EINECS:231-791-2	70% TO 80%	UN GHS: not classified
Benzoyl peroxide [8.7125%]	CAS:94-36-0 EINECS:202-327-6	5%	UN GHS: Skin Corr. 1; Eye Dam. 1; Eye Irrit. 2A; Skin Sens. 1
Lemon fragrance oil [0.05%]	NDA	< 0.1%	UN GHS: NDA

This medication must be reconstituted. Prior to dispensing, add indicated amount of room temperature 70% ethyl alcohol to the vial and immediately shake to completely dissolve erythromycin. Add this solution to gel and stir until homogeneous in appearance (1 to 1½ minutes).

The exact percentage of composition has been withheld as a trade secret.

Section 4: First-Aid Measures

Description of first aid measures

- Inhalation**
- No adverse effects anticipated by breathing small amounts. If large amounts are inhaled, remove to fresh air.
- Skin**
- IF ON SKIN (and not prescribed): Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.
- Eye**
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- Ingestion**
- If swallowed, get medical help or contact a Poison Control Center immediately.

Most important symptoms and effects, both acute and delayed

- No data available

Indication of any immediate medical attention and special treatment needed

Section 5: Fire-Fighting Measures

Extinguishing media

- Suitable Extinguishing Media**
- Carbon dioxide, dry chemical powder, appropriate foam or water fog.
- Unsuitable Extinguishing Media**
- No data available
- Firefighting Procedures**
- As in any fire, wear self-contained breathing apparatus and full protective gear.

Special hazards arising from the substance or mixture

- Unusual Fire and Explosion Hazards**
- No data available
- Hazardous Combustion Products**
- No data available

Advice for firefighters

- No data available

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

- Personal Precautions**
- No special controls or personal protection required under conditions of intended use. In the event of bulk spills, wear suitable protective eyewear, clothing, protective boots and protective gloves. Evacuate immediate area. Ensure adequate ventilation. Refer to Section 8.
- Emergency Procedures**
- Ventilate area. Contain spilled product. For small spills, add suitable absorbent material. Scoop up and place in an appropriate liquid-tight container equipped with a tight cover for disposal. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate, liquid-tight container equipped with a tight cover for disposal. Minimize contact of spilled material with soils to prevent runoff to surface waterways. Dispose of in accordance with Section 13.

Environmental precautions

- Prevent spilled material from entering storm sewers or drains, waterways, and contact with soil.

Methods and material for containment and cleaning up

- Containment/Clean-up Measures**
- No data available

Section 7 - Handling and Storage

Precautions for safe handling

Handling

- Avoid contact with eyes. Avoid prolonged or repeated exposure to skin or mucous membranes, and breathing mists/vapors. Use in a well ventilated area, away from all sources of ignition. Keep container closed. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities

Storage

- Keep tightly closed. Prior to reconstitution, store at room temperature 15-30°C (59-86°F), to maintain product integrity. After reconstitution, store refrigerated 2-8°C (36-46°F). Do not freeze. Use before expiration date marked on carton and/or container.

Section 8 - Exposure Controls/Personal Protection

Control parameters

Exposure Limits/Guidelines

- Refer to the occupational exposure limits / guidelines for the individual product components.

Exposure Limits/Guidelines					
	Result	ACGIH	Canada Quebec	NIOSH	OSHA
Sodium hydroxide (1310-73-2)	Ceilings	2 mg/m3 Ceiling	2 mg/m3 Ceiling	2 mg/m3 Ceiling	Not established
	TWAs	Not established	Not established	Not established	2 mg/m3 TWA
Benzoyl peroxide (94-36-0)	TWAs	5 mg/m3 TWA	5 mg/m3 TWAEV	5 mg/m3 TWA	5 mg/m3 TWA
Ethanol (64-17-5)	TWAs	Not established	1000 ppm TWAEV; 1880 mg/m3 TWAEV	1000 ppm TWA; 1900 mg/m3 TWA	1000 ppm TWA; 1900 mg/m3 TWA
	STELs	1000 ppm STEL	Not established	Not established	Not established

Exposure Control Notations

ACGIH

- Ethanol (64-17-5): **Carcinogens:** (A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans)
- Benzoyl peroxide (94-36-0): **Carcinogens:** (A4 - Not Classifiable as a Human Carcinogen)

Exposure controls

Engineering Measures/Controls

- No special controls are required under conditions of intended use. Local exhaust ventilation should be provided when handling bulk product.

Personal Protective Equipment

Pictograms

-  

Respiratory

- In the event of a bulk spill, and where risk assessment shows that air-purifying respirators are appropriate, a NIOSH (US) or CEN (EU) -certified air-purifying respirator equipped with organic vapor cartridges may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits, when adequate oxygen is present and as a backup to engineering controls. Use a positive pressure air-supplied respirator if there is any potential for an uncontrolled release or any other circumstances where air purifying respirators may not provide adequate protection.

Eye/Face

- Wear eye/face protection . .

Hands

- Wear protective gloves .

Skin/Body

- No special personal protection required under conditions of intended use. In the event of a bulk spill, wear appropriate protective clothing.

- General Industrial Hygiene Considerations**
- Handle in accordance with good industrial hygiene and safety practice.
- Environmental Exposure Controls**
- No data available

Section 9 - Physical and Chemical Properties

Information on Physical and Chemical Properties

Material Description			
Physical Form	Liquid Gel	Color	Not relevant
Odor	Not relevant	Odor Threshold	Not relevant
General Properties			
Boiling Point	Not relevant	Melting Point	Not relevant
Decomposition Temperature	Not relevant	pH	Not relevant
Specific Gravity/Relative Density	Not relevant	Density	Not relevant
Water Solubility	Not relevant	Viscosity	Not relevant
Volatility			
Vapor Pressure	Not relevant	Vapor Density	Not relevant
Evaporation Rate	Not relevant		
Flammability			
Flash Point	Not relevant	UEL	Not relevant
LEL	Not relevant	Flame Duration	Not relevant
Flame Extension	Not relevant	Autoignition	Not relevant
Flammability (solid, gas)	Not relevant		
Environmental			
Octanol/Water Partition coefficient	Not relevant		

Section 10: Stability and Reactivity

Reactivity

- Stable under normal temperatures and pressures.

Chemical stability

- Stable when stored at room temperature 15-25°C (59-77°F). Use before expiration date marked on carton and/or container. Prior to reconstitution, stable when stored at room temperature 15-30°C (59-86°F). After reconstitution, store refrigerated at 2-8°C (36-46°F). Use before expiration date marked on carton and/or container.

Possibility of hazardous reactions

- No data available

Conditions to avoid

- No data available

Incompatible materials

- Light, strong oxidizers, alkalis.

Hazardous decomposition products

- No data available

Section 11 - Toxicological Information

Information on toxicological effects

Components		
Erythromycin (3%)	114-07-8	Acute Toxicity: Ingestion/Oral-Rat LD50 • 4600 mg/kg
Carbomer homopolymer 980 (1% TO 5%)	9003-01-4	Acute Toxicity: Ingestion/Oral-Rat LD50 • 2500 mg/kg
Sodium hydroxide (< 1%)	1310-73-2	Acute Toxicity: Intraperitoneal-Mouse LD50 • 40 mg/kg; Irritation: Eye-Rabbit • 1 mg 30 Second(s)-Rinse • Severe irritation; Skin-Rabbit • 500 mg 24 Hour(s) • Severe irritation
Ethanol (10% TO 20%)	64-17-5	Acute Toxicity: Ingestion/Oral-Rat LD50 • 7060 mg/kg; <i>Lungs, Thorax, or Respiration:Other changes;</i> Irritation: Eye-Rabbit • 500 mg • Severe irritation; Skin-Rabbit • 20 mg 24 Hour(s) • Moderate irritation; Mutagen: Dominant lethal test • Ingestion/Oral-Mouse • 3720 mg/kg 3 Day(s); DNA damage • Ingestion/Oral-Rat • 4 g/kg; Reproductive: Ingestion/Oral-Rat TDLo • 147 mg/kg (1-21D preg); <i>Reproductive Effects:Specific Developmental Abnormalities:Endocrine system; Reproductive Effects.Effects on Newborn:Delayed effects;</i> Ingestion/Oral-Rat TDLo • 90 mg/kg (30D male); <i>Reproductive Effects:Paternal Effects:Spermatogenesis; Reproductive Effects:Paternal Effects Other effects on male; Reproductive Effects:Effects on Fertility:Male fertility index;</i> Tumorigen / Carcinogen: Ingestion/Oral-Mouse TDLo • 320 mg/kg 50 Week(s)-Intermittent; <i>Tumorigenic:Equivocal tumorigenic agent by RTECS criteria; Liver:Tumors; Blood:Lymphoma, including Hodgkin's disease</i>
Methyl salicylate (< 0.1%)	119-36-8	Acute Toxicity: Ingestion/Oral-Mouse LD50 • 1110 mg/kg; Ingestion/Oral-Rat LD50 • 887 mg/kg; Behavioral:Somnolence (general depressed activity); Irritation: Eye-Rabbit • 500 mg 24 Hour(s) • Mild irritation; Skin-Rabbit • 500 mg 24 Hour(s) • Moderate irritation
Diocetyl sodium sulfouccinate (< 1%)	577-11-7	Acute Toxicity: Ingestion/Oral-Rat LD50 • 1900 mg/kg; Irritation: Eye-Rabbit • 250 µg • Mild irritation; Skin-Rabbit • 10 mg 24 Hour(s) • Moderate irritation
Benzoyl peroxide (5%)	94-36-0	Acute Toxicity: Ingestion/Oral-Rat LD50 • 6400 mg/kg; Irritation: Eye-Rabbit • 500 mg 24 Hour(s) • Mild irritation; Skin-Human • 5 % 8 Week(s)-Intermittent • Severe irritation

GHS Properties	Classification
Acute toxicity	UN GHS • Classification criteria not met
Aspiration Hazard	UN GHS • Classification criteria not met
Carcinogenicity	UN GHS • Classification criteria not met
Germ Cell Mutagenicity	UN GHS • Classification criteria not met
Skin corrosion/Irritation	UN GHS • Skin Irritation 2
Skin sensitization	UN GHS • Skin Sensitizer 1
STOT-RE	UN GHS • Classification criteria not met
STOT-SE	UN GHS • Classification criteria not met
Toxicity for Reproduction	UN GHS • Classification criteria not met
Respiratory sensitization	UN GHS • Classification criteria not met
Serious eye damage/Irritation	UN GHS • Eye Irritation 2A

Potential Health Effects

Inhalation

Acute (Immediate)

- Under normal conditions of use, no health effects are expected.

- Chronic (Delayed)**
 - No data available
- Skin**
- Acute (Immediate)**
 - Causes irritation of the skin including dryness, peeling, itching, burning sensation, erythema, inflammation.
- Chronic (Delayed)**
 - Repeated and prolonged exposure may cause sensitization.
- Eye**
- Acute (Immediate)**
 - Causes serious eye irritation.
- Chronic (Delayed)**
 - Repeated and prolonged exposure may be harmful.
- Ingestion**
- Acute (Immediate)**
 - May be harmful.
- Chronic (Delayed)**
 - No data available
- Carcinogenic Effects**
 - Data from a study using mice known to be highly susceptible to cancer suggests that benzoyl peroxide acts as a tumor promoter. The clinical significance of this is unknown. No animal studies have been performed to evaluate the carcinogenic and mutagenic potential or effects on fertility of topical erythromycin. However, long-term (2-year) oral studies in rats with erythromycin ethylsuccinate and erythromycin base did not provide evidence of tumorigenicity.

Carcinogenic Effects			
	CAS	IARC	NTP
Carbomer homopolymer 980	9003-01-4	Group 3-Not Classifiable	Not Listed
Ethanol	64-17-5	Group 1-Carcinogenic	Evidence of Carcinogenicity
Benzoyl peroxide	94-36-0	Group 3-Not Classifiable	Not Listed

- Reproductive Effects**
 - There was no evidence of teratogenicity or any other adverse effect on reproduction in female rats fed erythromycin base (up to 0.25% diet) prior to and during mating, during gestation and through weaning of two successive litters. There are no well-controlled trials in pregnant women with Erythromycin-Benzoyl Peroxide Topical Gel.

Section 12 - Ecological Information

- Toxicity**
 - This material has not been tested for environmental effects.

- Persistence and degradability**
 - No data available

- Bioaccumulative potential**
 - No data available

- Mobility in Soil**
 - No data available

Other adverse effects

Section 13 - Disposal Considerations

- Waste treatment methods**
- Product waste**
 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
- Packaging waste**
 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	Environmental hazards
DOT	NDA	Not regulated	NDA	NDA	NDA
TDG	NDA	Not regulated	NDA	NDA	NDA
IMO/IMDG	NDA	Not regulated	NDA	NDA	NDA
IATA/ICAO	NDA	Not regulated	NDA	NDA	NDA

Special precautions for user • No data available

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code • No data available

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • No data available

Inventory					
Component	CAS	Canada DSL	Canada NDSL	EU EINECS	TSCA
Benzoyl peroxide	94-36-0	Yes	No	Yes	Yes
Diocetyl sodium sulfouccinate	577-11-7	Yes	No	Yes	Yes
Carbomer homopolymer 980	9003-01-4	Yes	No	No	Yes
Erythromycin	114-07-8	Yes	No	Yes	No
Ethanol	64-17-5	Yes	No	Yes	Yes
Methyl salicylate	119-36-8	Yes	No	Yes	Yes
Sodium hydroxide	1310-73-2	Yes	No	Yes	Yes
Water	7732-18-5	Yes	No	Yes	Yes

Canada

Labor

Canada - WHMIS - Classifications of Substances

• Erythromycin	114-07-8	Not Listed
• Diocetyl sodium sulfouccinate	577-11-7	Not Listed
• Methyl salicylate	119-36-8	D2A
• Benzoyl peroxide	94-36-0	C, D2B, F; C, D2B (70%) E (including 0.04% in aqueous solution, 0.08%, 0.4% in aqueous solution, 2%, 2.5%, 4% in aqueous solution, 5%, 10%, 16%, 20%, 40%, 50% in aqueous solution, 8.7N)
• Sodium hydroxide	1310-73-2	
• Ethanol	64-17-5	B2, D2B
• Water	7732-18-5	Uncontrolled product according to WHMIS classification criteria

• Carbomer homopolymer 980	9003-01-4	Not Listed
Canada - WHMIS - Ingredient Disclosure List		
• Erythromycin	114-07-8	Not Listed
• Dioctyl sodium sulfouccinate	577-11-7	1 %
• Methyl salicylate	119-36-8	0.1 %
• Benzoyl peroxide	94-36-0	1 %
• Sodium hydroxide	1310-73-2	1 %
• Ethanol	64-17-5	0.1 %
• Water	7732-18-5	Not Listed
• Carbomer homopolymer 980	9003-01-4	Not Listed

Europe

Other

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification

• Erythromycin	114-07-8	Not Listed
• Dioctyl sodium sulfouccinate	577-11-7	Not Listed
• Methyl salicylate	119-36-8	Not Listed
• Benzoyl peroxide	94-36-0	E; R3 Xi, R36 R43 O, R7
• Sodium hydroxide	1310-73-2	C; R35
• Ethanol	64-17-5	F; R11
• Water	7732-18-5	Not Listed
• Carbomer homopolymer 980	9003-01-4	Not Listed

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits

• Erythromycin	114-07-8	Not Listed
• Dioctyl sodium sulfouccinate	577-11-7	Not Listed
• Methyl salicylate	119-36-8	Not Listed
• Benzoyl peroxide	94-36-0	Not Listed
• Sodium hydroxide	1310-73-2	5%≤C: C; R 35 2%≤C<5%: C; R:34 0.5%≤C<2% Xi; R:36/38
• Ethanol	64-17-5	Not Listed
• Water	7732-18-5	Not Listed
• Carbomer homopolymer 980	9003-01-4	Not Listed

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling

• Erythromycin	114-07-8	Not Listed
• Dioctyl sodium sulfouccinate	577-11-7	Not Listed
• Methyl salicylate	119-36-8	Not Listed
• Benzoyl peroxide	94-36-0	E Xi R:3-7-36-43 S (2)-3/7-14-36/37/39
• Sodium hydroxide	1310-73-2	C R:35 S (1/2)-26-37/39-45
• Ethanol	64-17-5	F R 11 S (2)-7-16
• Water	7732-18-5	Not Listed
• Carbomer homopolymer 980	9003-01-4	Not Listed

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases

• Erythromycin	114-07-8	Not Listed
• Dioctyl sodium sulfouccinate	577-11-7	Not Listed
• Methyl salicylate	119-36-8	Not Listed
• Benzoyl peroxide	94-36-0	S:(2)-3/7-14-36/37/39
• Sodium hydroxide	1310-73-2	S:(1/2)-26-37/39-45
• Ethanol	64-17-5	S (2)-7-16

• Water	7732-18-5	Not Listed
• Carbomer homopolymer 980	9003-01-4	Not Listed

United States

Labor

U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals

• Erythromycin	114-07-8	Not Listed
• Dioctyl sodium sulfouccinate	577-11-7	Not Listed
• Methyl salicylate	119-36-8	Not Listed
• Benzoyl peroxide	94-36-0	7500 lb TQ
• Sodium hydroxide	1310-73-2	Not Listed
• Ethanol	64-17-5	Not Listed
• Water	7732-18-5	Not Listed
• Carbomer homopolymer 980	9003-01-4	Not Listed

Environment

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

• Erythromycin	114-07-8	Not Listed
• Dioctyl sodium sulfouccinate	577-11-7	Not Listed
• Methyl salicylate	119-36-8	Not Listed
• Benzoyl peroxide	94-36-0	Not Listed
• Sodium hydroxide	1310-73-2	1000 lb final RQ; 454 kg final RQ
• Ethanol	64-17-5	Not Listed
• Water	7732-18-5	Not Listed
• Carbomer homopolymer 980	9003-01-4	Not Listed

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

• Erythromycin	114-07-8	Not Listed
• Dioctyl sodium sulfouccinate	577-11-7	Not Listed
• Methyl salicylate	119-36-8	Not Listed
• Benzoyl peroxide	94-36-0	1.0 % de minimis concentration
• Sodium hydroxide	1310-73-2	Not Listed
• Ethanol	64-17-5	Not Listed
• Water	7732-18-5	Not Listed
• Carbomer homopolymer 980	9003-01-4	Not Listed

United States - California

Environment

U.S. - California - Proposition 65 - Carcinogens List

• Erythromycin	114-07-8	Not Listed
• Dioctyl sodium sulfouccinate	577-11-7	Not Listed
• Methyl salicylate	119-36-8	Not Listed
• Benzoyl peroxide	94-36-0	Not Listed
• Sodium hydroxide	1310-73-2	Not Listed
• Ethanol	64-17-5	carcinogen, initial date 4/29/11 (in alcoholic beverages)
• Water	7732-18-5	Not Listed
• Carbomer homopolymer 980	9003-01-4	Not Listed

U.S. - California - Proposition 65 - Developmental Toxicity

• Erythromycin	114-07-8	Not Listed
----------------	----------	------------

• Dioctyl sodium sulfouccinate	577-11-7	Not Listed
• Methyl salicylate	119-36-8	Not Listed
• Benzoyl peroxide	94-36-0	Not Listed
• Sodium hydroxide	1310-73-2	Not Listed
• Ethanol	64-17-5	developmental toxicity, initial date 10/1/87 (in alcoholic beverages)
• Water	7732-18-5	Not Listed
• Carbomer homopolymer 980	9003-01-4	Not Listed
U.S. - California - Proposition 65 - Reproductive Toxicity - Female		
• Erythromycin	114-07-8	Not Listed
• Dioctyl sodium sulfouccinate	577-11-7	Not Listed
• Methyl salicylate	119-36-8	Not Listed
• Benzoyl peroxide	94-36-0	Not Listed
• Sodium hydroxide	1310-73-2	Not Listed
• Ethanol	64-17-5	Not Listed
• Water	7732-18-5	Not Listed
• Carbomer homopolymer 980	9003-01-4	Not Listed
U.S. - California - Proposition 65 - Reproductive Toxicity - Male		
• Erythromycin	114-07-8	Not Listed
• Dioctyl sodium sulfouccinate	577-11-7	Not Listed
• Methyl salicylate	119-36-8	Not Listed
• Benzoyl peroxide	94-36-0	Not Listed
• Sodium hydroxide	1310-73-2	Not Listed
• Ethanol	64-17-5	Not Listed
• Water	7732-18-5	Not Listed
• Carbomer homopolymer 980	9003-01-4	Not Listed

Section 16 - Other Information

Last Revision Date	<ul style="list-style-type: none"> • 26/March/2015
Preparation Date	<ul style="list-style-type: none"> • 26/March/2015
Disclaimer/Statement of Liability	<ul style="list-style-type: none"> • The above information and recommendations contained in the Safety Data Sheet have been compiled from sources believed to be accurate and reliable and to represent the most reasonable current opinion on the subject as of the date the SDS was prepared. No warranty, guaranty, or representation is made as to the correctness or sufficiency of the information. Such data are offered solely for consideration, investigation, and verification but do not purport to be all inclusive and should be used only as a guide. The user of this product must decide what safety measures are necessary to safely use this product, either alone or in combination with other products, and determine its environmental regulatory compliance obligations under any applicable federal or state laws.