

MS137800

EXAFLEX - EXAMIX - EXAFAST – BASE ALL MATERIAL SAFETY DATA SHEET

Page 1 of 2

SECTION 1 - SOURCE/IDENTITY/USE INFORMATION

MANUFACTURER

GC AMERICA INC. 3737 West 127th St. Alsip, Illinois, 60803 Telephone: 708-597-0900

Hours: Mon.- Fri. 8:00 am. - 5:00 pm. C.S.T. Transportation Emergency No. 800-424-9300

COMMON NAME: EXAFLEX BASE: INJECTION/REGULAR/MONOPHASE/HEAVY BODY

EXAMIX BASE: INJECTION/REGULAR/MONOPHASE/HEAVY BODY - CARTRIDGE EXAMIX NDS BASE: INJECTION/REGULAR/MONOPHASE/HEAVY BODY - CARTRIDGE EXAFAST NDS BASE: INJECTION/REGULAR/MONOPHASE/HEAVY BODY - CARTRIDGE

CHEMICAL NAME: N.A.

PRODUCT USE: Dental Impression Material

The following information is provided with regard to the toxicity and hazards the pure components present in this portion of the unmixed two paste system

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

COMPONENT	C.A.S.	EXPOSURE LIMITS LD50/LC50		%
Silica-Amorphous	112926-00-8	$PEL = 10.0 \text{ mg/m}^3$	N.E.	40-45
		$TLV/TWA = 10.0 \text{ mg/m}^3$		
		(as dust)		
		(ACGIH)		
Vinyl Dimethyl Poly -	68083-19-2	N.E.	N.E.	40-60
Dimethyl Siloxane				
Dimethyl-	68037-59-2	N.E.	N.E.	5
methylhydrogenpolysiloxane				

SECTION 3 - PHYSICAL/CHEMICAL PROPERTIES

BOILING POINT: 160°C SPECIFIC GRAVITY: $(\text{H}_20\text{=}1) \ 1.35\text{g/cm}^3$

COEFFICIENT OF OIL/WATER DISTRIBUTION: N.E. APPEARANCE AND ODOR: Odorless paste

SECTION 4 - FIRE AND EXPLOSION DATA

FLASH POINT: Not Flammable per ASTM D92 FLAMMABLE LIMITS: N.A.

EXTINGUISHING MEDIA: Dry Chemical, Carbon Dioxide, Alcohol Foam

SPECIAL FIRE FIGHTING PROCEDURES: Water is not effective medium. Firefighters should wear self contained breathing apparatus

and full protective clothing.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Irritating and/or toxic aerosols or gases may be present. HAZARDOUS COMBUSTION PRODUCTS: Carbon Dioxide, Carbon Monoxide, Sulfur Hydrogen Sulfide

SECTION 5 - REACTIVITY DATA

STABILITY:	Stable 🔀	Unstable				
POLYMERIZATION:	Will Not Occur	Will Occur				
CONDITIONS TO AVOID:	High temperatur	res (> 121°C); open flames				
INCOMPATIBILITY (Mate	rials to Avoid): St	rong acids, bases, oxidizers.				
HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: N.E.						



MS137800

EXAFLEX - EXAMIX - EXAFAST - BASE ALL

Page 2 of 2

SECTION 6 - HEALTH HAZARD DATA and FIRST AID INFORMATION

	YES	NO	NE	NA	NTP	IARC	OSHA	OTHER
MUTAGENIC AFFECTS		X						
TERATOGENIC AFFECTS		X						
REPRODUCTIVE TOXIN		X						
CARCINOGENICITY	X (as silica dust)					X		
SENSITIZER		X						

ROUTES OF ENTRY: Inhalation Skin Skin Ingestion

HEALTH HAZARD (Acute and Chronic): Breathing vapor generated from this product may be irritating to the eyes, nose and throat.

SIGNS AND SYMPTOMS OF OVEREXPOSURE: Headaches CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: N.E.

EMERGENCY FIRST AID PROCEDURES:

INHALATION: Remove to fresh air if irritation develops

EYES: Flush with large volumes of water, consult a physician if irritation develops.

SKIN: Wash thoroughly with soap and water

INGESTION: Do not induce vomiting. Dilute by drinking several glasses of water. Seek medical attention.

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

IN CASE OF RELEASE OR SPILL: Absorb with inert material; transfer to container for disposal

WASTE DISPOSAL METHOD: In accordance with Local and Federal Regulations.

STORAGE, HANDLING, AND SPECIAL PRECAUTIONS: Store at normal room temperature in a well ventilated area

SECTION 8 - CONTROL MEASURES

RESPIRATORY PROTECTION: N.A.

VENTILATION: Local Exhaust: Recommended Mechanical: N.E. Special: N.E. Other: N.E.

PROTECTIVE GLOVES: Synthetic/Vinyl Gloves **EYE PROTECTION:** Safety glasses or goggles

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: N.E.

WORK/HYGIENIC PRACTICE: N.E.

SECTION 9 - PREPARATION INFORMATION

This data is supplied to comply with OSHA Hazard Communication Standard 29 CFR 1910,1200 and W.H.M.I.S. CPR

DATE: 09 January 2006 REVIEWED: 20 February 2012

.....

N.A. = NOT APPLICABLE N.E. = NOT ESTABLISHED

FIRE - 0

The information herein is given in good faith but no warranty expressed or implied is made.

NFPA
TOXICITY - 1 REACTIVI

REACTIVITY - 1 SPECIAL -