

# **Material Safety Data Sheet**

Section 1. Chemical Product and Company Identification

Product Name/Trade Name

Purcbright Ultra Germididal Bleach
Ref# 40000002

KIK CUSTOM PRODUCTS
2921 Corder Street
Houston, TX USA 77054

Contact Number:
Tel: 905-660-0444

24Hr Emergency Contact Number:
Tel: 1-800-255-3924

24Hr Emergency Contact Number: Tel: 1-800-255-3924
Prepared By: KIK CUSTOM PRODUCTS Laboratory

Date Last Revised:

Replaces Date:

October 18, 2011
September 27, 2011

Section 2. Hazardous Ingredients

Ingredient	Concentration	CAS#	Worker Exposure Limit
Sodium Hypochlorite	5.0-6.0%	7681-52-9	not established
Sodium Hydroxide	>1.0 %	1310-73-2	2 mg/m <sup>3</sup> - TLV-C*

## Section 3. Hazards Identification

Route of Entry

	oute of Billing				
1	Skin	Yes	Eye	Yes	
	Inhalation	Yes	Ingestion	Yes	

Effects of Exposure: May cause substantial but temporary eye injury. May irritate skin. When ingested, may cause nausea and vomiting. Inhalation of vapor will irritate nose, throat and lungs.

Effects of acute exposure: Inhalation of mist or vapor may cause breathing difficulty. Its corrosiveness may cause severe irritation to eyes and skin. May cause permanent damage if not treated properly. Ingestion can cause corrosion of mucous membranes, severe esophageal burns and perforation of esophagus or stomach.

Effects of chronic exposure: Not Known.

Under normal consumer use conditions, the likelihood of any adverse health effects is low. The following medical conditions may be aggravated by exposure to high concentration of vapor or mist: heart conditions or chronic respiratory problems such as asthma, bronchitis or obstructive lung disease. Some clinical tests conducted on intact skin with sodium hypochlorite liquid bleach found no sensitization in the test subjects.

#### Section 4. First Aid Measures

Skin: Remove contaminated clothing. Wash with copious amount of water. If irritation persists, call a doctor.

Eyes: Flush eyes with cool running water holding eyelids apart to ensure thorough rinsing for 15 minutes. Remove contact lenses. See a doctor immediately.

Inhalation: Move to fresh air and restore breathing,. If breathing problems develop, call a doctor.

Ingestion: DO NOT INDUCE VOMITING! Drink large amounts of water. Do not give anything by mouth to a convulsing or unconscious person. See a doctor immediately.

General Advice: If irritation occurs, see a doctor immediately.



### Section 5. Preventative Measures

#### **Protective Equipment**

Gloves: Impervious PVC or Neoprene.

Eyes: Safety glasses at the very least. Chemical splash goggles. Face shield also helpful.

Respiratory: Not normally required. Footwear: Protect shoes and feet when using product for floor

cleaning.

#### LEAK AND SPILL PROTECTION:

Small spills: Dilute product by flooding area with large quantity of water and flush to sanitary sewer. Large spills: Contain run-off by diking with suitable material. Soak up liquid on inert absorbent and

transfer to approved container. Prevent spill from entering sewers or waterways WASTE DISPOSAL: Reclaim or dispose in accordance with local regulations. STORAGE REQUIREMENTS: Store in a cool, dry and well-ventilated area.

#### Section 6. Physical Data

State	Liquid	pH	12.6 maximum
Appearance	Clear Pale yellow	Specific Gravity	1.080 minimum
Odor	Typical Bleach	Solubility in water	complete

## Section 7. Fire & Explosion

Not flammable nor explosive

### Section 8. Reactivity Data

Chemical Stability: Stable	under n	ormal	use and s	torage conditions.
Incompatible Conditions:	YES	X	NO	
Incompatible Substances:	Acids,	ammo	nia, urea,	metals & oxidizers.

### Section 9. Regulatory Information

#### WHIMS:

Health: 2 Flammability: 0 Reactivity: 1

#### DOT: Not Restricted

As the handling and use of products under user's conditions are beyond our control, no warranty, expressed or implied, is made concerning this product. The information contained herein is offered only as a guide to the handling of this specific material and is not intended to be all-inclusive in the manner and conditions of use and handling. The user assumes all risks of use or handling, whether or not in accordance with any directions or suggestions of the manufacturer. Manufacturer shall not be liable to purchaser or any other person for loss or damages directly or indirectly arising from the use of our product.

## PURELL® Advanced Instant Hand Sanitizer

Foam

1.1

Revision Date: 02/18/2015

MSDS Number: 36539-00002

Date of last issue: 12/1

Date of first issue: 12/11/2014

SECTION 1. IDENTIFICATION

Product name

PURELL® Advanced Instant Hand Sanitizer Fearn

Manufacturer or supplier's details

Company name of supplier

GOJO Industries, Inc.

Address

One GOJO Plaza, Suite 500

Akron OH 44311

Telephone

1 (330) 255-6000

Emergency telephone

1-800-424-9300 CHEMTREC

Recommended use of the chemical and restrictions on use

Recommended use

Hand Sanitizer

Restrictions on use

This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Flammable liquids

Category 3

Eye irritation

Category 2A

GHS Label element

Hazard pictograms

Signal Word

Warning

Hazard Statements

H226 Flammable liquid and vapor



# PURELL® Advanced Instant Hand Sanitizer Foam

Version

Revision Date: 02/18/2015

MSDS Number: 36539-00002

Date of last issue: 12/11/2014 Date of first issue: 12/11/2014

H319 Causes serious eye irritation.

Precautionary Statements

Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces. -

No smoking.

P233 Keep container tightly closed.

P241 Use explosion-proof electrical/ventilating/ lighting/

equipment

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair). Take off immediately

all contaminated clothing. Rinse skin with water/shower. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P337 + P313 If eye imitation persists: Get medical advice/

attention. Storage:

P403 + P235 Store in a well-ventilated place, Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards

Vapors may form explosive mixture with air.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

Mixture

Hazardous ingredients

Chemical Name	I SWEGGERWIJE	CAS-No.	Concentration (%)
Ethanol		64-17-5	>= 50 - < 70
Propan-2-ol		67-63-0	>= 1 - < 5

#### SECTION 4. FIRST AID MEASURES

General advice

In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled

If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact

Wash with water and soap as a precaution. Get medical attention if symptoms occur.



## PURELL® Advanced Instant Hand Sanitizer Foam

Version 1.1

Revision Date: 02/18/2015

MSDS Number: 36539-00002

Date of last issue: 12/11/2014 Date of first issue: 12/11/2014

In case of eye contact

In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed

: If swallowed, DO NOT Induce vomiling. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed

: Causes serious eye irritation.

Protection of first-aiders

: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

when the potential for exposure exists.

Notes to physician

: Treat symptomatically and supportively.

#### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

: Water spray

Alcohol-resistant foam

Dry chemical

Carbon dioxide (CO2)

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire

fighling

: Do not use a solid water stream as it may scatter and spread

Flash back possible over considerable distance.

Vapors may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Silicon oxides

Specific extinguishing

melhods

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment, Use water spray to cool unopened containers,

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

for fire-fighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,

Remove all sources of ignition



## PURELL® Advanced Instant Hand Sanitizer Foam

Version 1.1

Revision Date: 02/18/2015

MSDS Number: 36539-00002

Date of last issue: 12/11/2014 Date of first issue: 12/11/2014

protective equipment and emergency procedures

Use personal protective equipment. Follow safe handling advice and personal protective

equipment recommendations.

Environmental precautions

: Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Non-sparking tools should be used. Soak up with inert absorbent material.

Suppress (knock down) gases/vapors/mists with a water spray

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.

Clean up remaining materials from spill with suitable

absorbent.

Locat or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### SECTION 7, HANDLING AND STORAGE

Technical measures

: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation

Use with local exhaust ventilation.

Use only in an area equipped with explosion proof exhaust

ventilation.

Advice on safe handling

Do not breathe vapors or spray mist.

Do not swallow. Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety

practice.

Non-sparking tools should be used.

Keep container tightly closed. Keep away from heat and sources of ignition.


Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the

environment.

Conditions for sale storage

Keep in properly labeled containers.

Keep tightly closed.





Version

1.1

Revision Date:

02/18/2015

MSDS Number:

36539-00002

Date of last issue: 12/11/2014

Date of first issue: 12/11/2014

Keep in a cool, well-ventuated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition.

Materials to avoid

: Do not store with the following product types:

Strong oxidizing agents Organic peroxides Flammable solids Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Substances and mixtures which in contact with water emit

ilammable gases Explosives

Gases

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1

## Biological occupational exposure limits

Ingredients	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work- week	40 mg/l	ACGIH BEI

Engineering measures

Minimize workplace exposure concentrations,

Use only in an area coulpied with explosion proof exhaust

ventilation.

Use with local exhaust centilation



# PURELL® Advanced Instant Hand Sanitizer Foam

Version

Revision Date: 02/18/2015

MSDS Number: 36539-00002

Date of last issue: 12/11/2014 Date of first issue: 12/11/2014

#### Personal protective equipment

Respiratory protection

General and local exhaust vertilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Material

: Impervious gloves

Material

: Flame retardant gloves

Remarks

: Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection

 Wear the following personal protective equipment: Safety goggles

Skin and body protection

 Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure

potential.

Wear the following personal protective equipment: Flame retardant antistatic protective clothing.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hygiene measures

: Ensure that eye flushing systems and safety showers are

located close to the working place, When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: liquid

Color

: clear, colorless, yellow

Octor

: fruity



## PURELL® Advanced Instant Hand Sanitizer Foam

Version 1.1

Revision Date: 02/18/2015

MSDS Number: 36539-00002

Date of last issue: 12/11/2014 Date of first issue: 12/11/2014

Odor Threshold

: No data available

рΗ

: 5.5 - 9.0

Melting point/freezing point

: No data available

Initial boiling point and boiling

: 75 °C

range

Flash point

: 25.5 °C

Evaporation rate

: No data available

Flammability (solid, gas)

: Not applicable

Upper explosion limit

: No data available

Lower explosion limit

: No data available

Vapor pressure

: No data available

Relative vapor density

: No data available

Density

: 0.895 g/cm3

Solubility(ies)

Water solubility

: soluble

Partition coefficient n-

octanol/water

: Not applicable

Autoignition temperature

: No data available

Decomposition temperature

: The substance or mixture is not classified self-reactive.

Viscosity

Viscosity, kinematic

: 10 - 20 mm2/s (20 °C)

Explosive properties

: Not explosive

Oxidizing properties

: The substance or mixture is not classified as oxidizing.

#### SECTION 10, STABILITY AND REACTIVITY

Reactivity

: Not classified as a reactivity hazard.

Chemical stability

Stable under normal conditions:

Possibility of hazardous reac-

Flammable liquid and vapor.

Vapors may form explosive mixture with air, Can react with strong oxidizing agents.



# PURELL® Advanced Instant Hand Sanitizer Foam

Version 1.1 Revision Date: 02/18/2015

MSDS Number: 36539-00002

Date of last issue: 12/11/2014 Date of first issue: 12/11/2014

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Oxidizing agents

Hazardous decomposition

products

: No hazardous decomposition products are known.

#### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Ingredients:

Ethanol:

Acute oral toxicity

: LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity

: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test almosphere: vapor

Propan-2-ol:

Acute oral toxicity

: LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity

LC50 (Rat): 72.6 mg/l Exposure time: 4 h Test atmosphere: vapor

Acute dermal loxicity

: LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Ingredients:

Ethanol:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Propan-2-ol: Species, Rabbit

Result: No skin irritation



## PURELL® Advanced Instant Hand Sanitizer Foam

Version

1.1

Revision Date: 02/18/2015

MSDS Number: 36539-00002

Date of last issue: 12/11/2014

Date of first issue: 12/11/2014

Serious eye damage/eye irritation

Causes serious eye imitation.

Ingredients:

Ethanol:

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Method: OECD Test Guideline 405

Propan-2-ol:

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days.

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information.

Respiratory sensitization. Not classified based on available information.

Assessment Does not cause skin sensitization.

Ingredients:

Ethanol:

Test Type: Local lymph node assay (LLNA)

Routes of exposure: Skin contact

Species: Mouse Result: negative

Propan-2-ol:

Test Type: Buehler Test

Routes of exposure: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: negative

Germ cell mutagenicity

Not classified based on available information.

Ingredients:

Ethanol:

Genotoxicity in vitro

: Test Type: In vitro mammelian cell gene mutation test

Result: negative

Genotoxicity in vivo

: Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Ingestion

Result negative

Propan-2-ol:

Cenclexicity in vitre

Tos! Type: Bacterial reverse mutation assay (AMES)

Result regalive

Genetoxicity in vivo

Test Type: Manimalian eryprocyte micronucleus test un uvo



# PURELL® Advanced Instant Hand Sanitizer Foam

Version

Revision Date: 02/18/2015

MSDS Number: 36539-00002

Date of last issue: 12/11/2014 Date of first issue: 12/11/2014

cylogenetic assay) Species: Mouse

Application Roule: Intraperitoneal injection

Result: negative

Carcinogenicity

Not classified based on available information.

Ingredients:

Propan-2-ol: Species: Ral

Application Route: inhalation (vapor)

Exposure time: 104 weeks

Method: OECD Test Guideline 451

Result: negative

IARC

No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

**OSHA** 

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Not classified based on available information.

Ingredients:

Ethanol:

Effects on fertility

: Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 416

Result: negative

Propan-2-ol:

Effects on fertility

Test Type: Two generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development

Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result negative

STOT-single exposure

Not classified based on available information.



## PURELL® Advanced Instant Hand Sanitizer Foam

Version 1,1

Revision Date:

02/18/2015

MSDS Number:

36539-00002

Date of last issue: 12/11/2014

Date of first issue: 12/11/2014

Ingredients:

Propan-2-ol:

Assessment: May cause drowsiness or dizziness.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Ingredients:

Ethanol:

Species: Rat

NOAEL: 2,400 mg/kg

Application Route: Ingestion

Exposure time: 2 y

Propan-2-ol:

Species: Rat

NOAEL: 5000 ppm

Application Route: inhalation (vapor)

Exposure time: 104 w

Method: OECD Test Guideline 413

Aspiration toxicity

Not classified based on available information.

#### SECTION 12. ECOLOGICAL INFORMATION

## Ecotoxicity

Ingredients:

Ethanol:

Toxicity to fish

: LC50 (Pimephales prometas (fathead minnow)): > 1,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Toxicity to algae

: EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates

(Chronic toxicity)

: NOEC (Daphnia magna (Water flea)): 9.6 mg/l

Exposure time: 9 d

Toxicity to bacteria

EC50 (Photobacterium phosphoreum): 32.1 mg/l

Exposure time: 0.25 h

Propan-2-ol.

Texicity to fish

EC50 (Pimephales prometes dameac marrow): \$1,000 mon.



## PURELL® Advanced Instant Hand Sanitizer Foam

Version 1.1

Revision Date: 02/18/2015

MSDS Number: 36539-00002

Date of last issue: 12/11/2014 Date of first issue: 12/11/2014

Exposure time: 96 h

aquatic invertebrates

Toxicily to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 24 h

Toxicity to algae

: ErC50 (Scenedesmus quadricauda (Green algae)): > 1,800

Exposure time: 8 d

Toxicity to bacteria

: EC50 (Pseudomonas putida): > 1,050 mg/l

Exposure time: 16 h

Persistence and degradability

Ingredients:

Ethanol:

Biodegradability

: Result: Readily biodegradable.

Biodegradation: 84 % Exposure time: 20 d

Propan-2-ol:

Biodegradability

: Result: rapidly degradable

Bioaccumulative potential

Ingredients:

Ethanol:

Partition coefficient: n-

octanol/water

: log Pow: -0.35

Propan-2-ol:

Partition coefficient: n-

octanol/water

: log Pow: 0.05

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13, DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues

: Dispose of in accordance with local regulations.

Contaminated packaging

Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

Do not burn, or use a culting torch on, the empty drum.



# PURELL® Advanced Instant Hand Sanitizer Foam

Version

Revision Date:

02/18/2015

MSDS Number:

36539-00002

Date of last issue: 12/11/2014

Date of first issue: 12/11/2014

#### SECTION 14. TRANSPORT INFORMATION

#### International Regulation

UNRTDG

UN number

: UN 1987

Proper shipping name

: ALCOHOLS, N.O.S.

(Ethanol, Propan-2-ol)

Class

: 3

Packing group

: 111

Labels

: 3

IATA-DGR

UN/ID No.

: UN 1987

Proper shipping name

: Alcohols, n.o.s.

(Ethanol, Propan-2-ol)

Class

: 3

Packing group

: 111

Labels

: Flammable Liquids

Packing instruction (cargo

(fferome

: 366

Packing instruction

: 355

(passenger aircraft)

IMDG-Code

UN number

: UN 1987

Proper shipping name

: ALCOHOLS, N.O.S.

Toper snipping neith

(Ethanol, Propan-2-ol)

Class

: 3

Packing group

:= 111

Labels

: 3

EmS Code Marine pollutant : F-E, S-D : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

#### Domestic regulation

49 CFR

UN/ID/NA number

: UN 1987

Proper shipping name

: ALCOHOLS, N.O.S.

Class

: 3

Packing group

?\\ ! III

Labels

: FLAMMABLE LIQUID

ERG Code

127

Marine pollutarit

; no



# PURELL® Advanced Instant Hand Sanitizer Foam

Version

Revision Date: 02/18/2015

MSDS Number: 36539-00002

Date of last issue: 12/11/2014 Date of first issue: 12/11/2014

## SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

**CERCLA Reportable Quantity** 

This material does not contain any components with a CERCLA RO.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

: Fire Hazard

Acute Health Hazard

**SARA 302** 

: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

**SARA 313** 

. The following components are subject to reporting levels

established by SARA Title III, Section 313:

Propan-2-ol

67-63-0

3.013 %

**US State Regulations** 

Pennsylvania Right To Know

 Ethanol
 64-17-5
 50 - 70 %

 Water
 7732-18-5
 30 - 50 %

 Propan-2-oi
 67-63-0
 1 - 5 %

New Jersey Right To Know

 Ethanol
 64-17-5
 50 - 70 %

 Water
 7732-18-5
 30 - 50 %

 Propan-2-ol
 67-63-0
 1 - 5 %

 Dimethyl Siloxane,
 102783-01-7
 1 - 5 %

Dimethyl(propyl(polyethylene oxide))hydroxy)siloxy-terminaled

California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other

reproductive defects.

The ingredients of this product are reported in the following inventories:

REACH

All ingredients (pre-)registered or exempt.

**TSCA** 

All chemical substances in this material are included on or

exempted from listing on the TSCA Inventory of Chemical

Substances,

DSL

 All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or exempt from listing on the

Canadian Domestic Substances List (DSL)



## PURELL® Advanced Instant Hand Sanitizer Foam

Version 1.1

Revision Date:

02/18/2015

MSDS Number: 36539-00002

Date of last issue 12/11/2014

Date of first Issue 12/11/2014

AICS

All ingredients listed or exempt


#### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA

### SECTION 16. OTHER INFORMATION

#### Further information

NFPA:



Special hazard

#### HMIS III:

HEALTH	2
-FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

#### Full text of other abbreviations

**ACGIH** 

ACGIH BEI

NIOSH REL OSHA Z-1

: USA, ACGIH Threshold Limit Values (TLV)

: ACGIH - Biological Exposure Indices (BEI) : USA, NIOSH Recommended Exposure Limits

: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants

ACGIH / TWA

: 8-hour, time-weighted average

ACGIH / STEL

: Short-term exposure limit

NIOSH REL / TWA

: Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

NIOSH REL / ST

: STEL - 15-minute TWA exposure that should not be exceeded

at any time during a workday

OSHA Z-1 / TWA : 8-hour time weighted average

Sources of key data used to compile the Material Safety

Data Sheet

: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date

02/18/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for sale handling, use, processing, storage, transportation, disposal and release and shall not be considered a watterity or quality specification of any type. The information pro-



# PURELL® Advanced Instant Hand Sanitizer Foam

Version 1.1

Revision Date: 02/18/2015

MSDS Number: 36539-00002

Date of last issue: 12/11/2014 Date of first issue: 12/11/2014

vided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8