

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 10-Aug-2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: Product Number:

Recommended Use:

Uses Advised Against: Manufacturer/Supplier: CONCENTRATED WINDOW CLEANER

3060,3061 Glass cleaner

For Industrial and Institutional Use Only

Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak:

CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Skin Corrosion/Irritation:

Serious Eye Damage/Eye Irritation:

Flammable Liquids

Category 2

Category 2A Category 3

GHS Label Elements

Signal Word:

Symbols:

Warning



Hazard Statements:

Causes skin irritation. Causes serious eye irritation Flammable liquid and vapor.

Precautionary Statements:

Prevention:

Wash hands and any exposed skin thoroughly after handling.

Wear eye / face protection Wear protective gloves

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground container and receiving equipment. Use explosion-proof electrical equipment.

Use only non-sparking tools

Take precautionary measures against static discharge

Response:

-Eyes

-Skin

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. If skin irritation occurs: Get medical attention. Wash contaminated clothing

before reuse.

Revision Date: 10-Aug-2015

Advice on Safe Handling:

Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

after handling.

Storage Conditions:

Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
isopropanol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³
acetic acid 64-19-7	STEL: 15 ppm TWA: 10 ppm	TWA: 10 ppm TWA: 25 mg/m³ (vacated) TWA: 10 ppm (vacated) TWA: 25 mg/m³	IDLH: 50 ppm TWA: 10 ppm TWA: 25 mg/m ³ STEL: 15 ppm STEL: 37 mg/m ³

Provide good general ventilation. **Engineering Controls:**

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Personal Protective Equipment_

Eye/Face Protection:

Wear splash goggles.

Skin and Body Protection: Respiratory Protection:

Wear rubber or other chemical-resistant gloves.

Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

General Hygiene Considerations:

Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Liquid	
Light blue	
Floral fragrance	
2.0-3.0	
No information available.	
94 °C / 201 °F	
30 °C / 86 °F ASTM D56	
< 1 (Butyl acetate = 1)	
No information available.	
0.97	
Soluble in water	
No information available.	

10. STABILITY AND REACTIVITY

Revision Date: 10-Aug-2015

This material, as supplied, is a hazardous waste according to federal regulations (40 CFR Disposal of Wastes:

Dispose of in accordance with federal, state and local regulations. Contaminated Packaging:

US EPA Waste Number: D001

14. TRANSPORT INFORMATION

DOT:

UN1993 **UN/ID No:**

Flammable liquids, n.o.s., (contains isopropanol) Proper Shipping Name:

3 Hazard Class: Packing Group: 111

Class 3, Packing Group III materials meet the exception requirements of section 49 CFR **Special Provisions:**

173.150 when individual containers of not more than 1.3 gallons are packed in a strong outer packaging and ground transportation is utilized. Such containers may be reclassified

as "Limited Quantity".

Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation

expert for information specific to your situation.

IMDG:

UN1993 UN/ID No:

Flammable liquids, n.o.s., (contains isopropanol) Proper Shipping Name:

Hazard Class: Ш Packing Group:

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product contains the following listed substances:

isopropanol

CAS No 67-63-0 only if manufactured by the strong acid process, no supplier notification

SARA 311/312 Hazard Categories

Yes Acute Health Hazard: No Chronic Health Hazard: Yes Fire Hazard: No Sudden release of pressure hazard: Reactive Hazard: No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION

Health Hazards: 2 Flammability: 3 Instability: 0 Special: N/A NFPA

Health Hazards: 2 Flammability: 3 Physical Hazards: 0 HMIS

10-Aug-2015 **Revision Date:** Section 14 and 15 Reasons for Revision: