

SAFETY DATA SHEET

acc. to ISO 11014, 29 CFR 1910.1200

Blood Transfer Unit

greiner bio-one

A AN SOP 04.03.02-205

Rev.00

Valid from: 09/22/2014

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: Blood Transfer Unit

Manufacturer/Supplier:

AUSTRIA

Greiner Bio-One GmbH Bad Haller Strasse 32 4550 Kremsmünster

Austria

Tel: (+43) 7583 6791-0 Fax: (+43) 7583 6791-1114 Email: office@at.gbo.com USA

Greiner Bio-One North America Inc.

4238 Capital Drive Monroe, NC 28110

USA

Tel: (+1) 888-286-3883 Fax: (+1) 800-726-0052 Email: info@us.gbo.com

SECTION 2: HAZARDS IDENTIFICATION

Hazard description:

If used as intended and handled in a correct manner in accordance with our instruction for use no particular hazards to human health will occur.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Description:

NameMaterialNeedle insertPolypropyleneHolder body BTUPolypropyleneNeedleStainless Steel

Rubber Sleeve Natural rubber compound

SECTION 4 – SECTION 15: HAZARDS IDENTIFICATION - REGULATORY INFORMATION

The above Product is classified as an "article" under the OSHA Hazard Communication Standard and does not require the SECTIONS 4 to 15 of the MSDS acc. to ISO 11014.

The OSHA Hazard Communication Standard defines an article as a manufactured item:

- Which is formed to a specific shape or design during manufacture;
- Which has end use function(s) dependent in whole or in part upon its shape or design during end use;
- Which does not release, or otherwise result in exposure to a hazardous chemical, under normal conditions of use.

SECTION 16: OTHER INFORMATION

To the best of our knowledge, the information contained herein is accurate. However, neither Greiner Bio-One nor any of its subcontractors or suppliers assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.