# SAFETY DATA SHEET

Issuing Date 18-Apr-2013 Revision Date 11-Mar-2015 Revision Number 0



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Product Name Nix Creme Rinse

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Medicinal products

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name MEDTECH PRODUCTS INC

**Supplier Address** 660 White Plains Road

Tarrytown, NY

10591 US

**Supplier Phone Number** Phone:1-864-879-0953

Fax:1-914-524-6815

Contact Phone 914-524-6861

Supplier Email bodongo@prestigebrands.com

Emergency telephone number

**Company Emergency Phone** 

267-852-0505

Number

# 2. HAZARDS IDENTIFICATION

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1



Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 3

#### GHS Label elements, including precautionary statements

**Emergency Overview** 

Signal word

Danger

Hazard Statements
Causes skin irritation
Causes serious eye damage
May cause an allergic skin reaction
May cause drowsiness or dizziness
Flammable liquid and vapor

Appearance Orange

Physical state Liquid Cream

Odor Aromatic

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ ventilating/ lighting/ equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

#### **Precautionary Statements - Response**

Specific treatment (see supplemental first aid instructions on this label)

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

#### Skin

If skin irritation or rash occurs: Get medical advice/attention

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

# Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell



#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### **Unknown Toxicity**

0 % of the mixture consists of ingredient(s) of unknown toxicity

#### Other information

Very toxic to aquatic life with long lasting effects
Repeated or prolonged skin contact may cause allergic reactions with susceptible persons
PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION

#### **Interactions with Other Chemicals**

No information available.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

•

Chemical Name	CAS No	Weight-%	Trade Secret
Supplier Trade Secret	Proprietary	10 - 30	*
Supplier Trade Secret	Proprietary	1 - 5	*
Supplier Trade Secret	Proprietary	1 - 5	*
Supplier Trade Secret	Proprietary	1 - 5	*
Permethrin	52645-53-1	1 - 5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

# 4. FIRST AID MEASURES

#### First aid measures

General Advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue

rinsing. Do not rub affected area. Seek immediate medical attention/advice.

**Skin contact**Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult,

(trained personnel should) give oxygen.

**Ingestion** Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an



Page 3/13

unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Effects

Burning sensation. Itching. Rashes. Hives. Inhalation of high vapor concentrations may

cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Indication of any immediate medical attention and special treatment needed

Notes to Physician May cause sensitization in susceptible persons. Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

# **Suitable Extinguishing Media**

Dry chemical, CO2, water spray or regular foam. Use water spray or fog; do not use straight streams.

#### Unsuitable extinguishing media

CAUTION: All these products have a very low flash point: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

Some may be transported hot.

Uniform Fire Code Flammable Liquid: I-C

Sensitizer: Liquid

**Physical/Chemical Reaction** 

Properties

No data available.

**Explosion Data** 

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge Yes.

## Protective equipment and precautions for firefighters

Move containers from fire area if you can do it without risk.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. See section 8 for more information. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled

material.

Other Information Water spray may reduce vapor; but may not prevent ignition in closed spaces.

**Environmental precautions** 

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

**Methods for containment** A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth,

sand or other non-combustible material and transfer to containers.

Methods for cleaning up

Use clean non-sparking tools to collect absorbed material. Dike far ahead of liquid spill for

later disposal. Soak up with inert absorbent material. Pick up and transfer to properly

labeled containers.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Use personal protection equipment. Avoid

contact with skin and eyes. Avoid breathing vapors or mists. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use

with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions.

Conditions for safe storage, including any incompatibilities

**Storage** Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance

with local regulations.

Incompatible Products Strong oxidizing agents. Strong bases. Acids. Chlorinated compounds.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Control parameters**

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Supplier Trade Secret	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm 10% LEL
	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 400 ppm	TWA: 400 ppm
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

# **Appropriate engineering controls**

Engineering Measures Showers

Eyewash stations Ventilation systems

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

**Skin and body protection** Wear protective gloves and protective clothing. Long sleeved clothing. Impervious gloves.

Chemical resistant apron. Antistatic boots.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**Hygiene Measures** Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **Physical and Chemical Properties**

Physical state Appearance Color	Liquid, Cream Orange No information available	Odor Odor Threshold	Aromatic No information available
<u>Property</u>	<u>Values</u>	Remarks Method	
рН	5.0	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	31 C / 88 F	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	0.95	None known	

(UL)

Water Solubility Appreciable (42g/100cc of water) None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/water1000 None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known Dynamic viscosity 1000 None known

Explosive properties No data available
Oxidizing properties No data available

Other Information

Softening PointNo data availableVOC Content (%)No data availableParticle SizeNo data available

**Particle Size Distribution** 

# 10. STABILITY AND REACTIVITY

# Reactivity

No data available.

**Chemical stability** 

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions** 

None under normal processing.

**Conditions to avoid** 

Heat, flames and sparks.

**Incompatible materials** 

Strong oxidizing agents. Strong bases. Acids. Chlorinated compounds.

**Hazardous Decomposition Products** 

Carbon oxides.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Product Information .

**Inhalation** Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. May cause drowsiness or dizziness. (based on components).

**Eye contact** Specific test data for the substance or mixture is not available. (based on components).

Causes serious eye damage. Severely irritating to eyes. May cause irreversible damage to

eyes.

**Skin contact** Specific test data for the substance or mixture is not available. Causes skin irritation. (based

on components). Prolonged contact may cause redness and irritation.

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Supplier Trade Secret	= 1870 mg/kg (Rat)	= 4059 mg/kg ( Rabbit )	= 72600 mg/m³ (Rat) 4 h
•			



Supplier Trade Secret	= 1250 mg/kg (Rat)	-	<del>-</del>
Supplier Trade Secret	= 5 g/kg (Rat)	> 2600 mg/kg(Rabbit)	-
Supplier Trade Secret	= 2500 mg/kg (Rat)	-	-
Permethrin	= 220 mg/kg (Rat) = 383 mg/kg (	> 5000 mg/kg (Rat) = 1750 mg/kg	> 0.69 mg/L (Rat) 4 h
52645-53-1	Rat )	( Rat ) > 2 g/kg (Rabbit )	

#### Information on toxicological effects

Symptoms Erythema (skin redness). May cause redness and tearing of the eyes. May cause

blindness. Burning. Itching. Rashes. Hives. Inhalation of high vapor concentrations may

cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** May cause sensitization by skin contact.

Mutagenic Effects No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Supplier Trade Secret		Group 3		X
Permethrin 52645-53-1		Group 2A Group 3		X

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure Based on classification criteria from the 2012 OSHA Hazard Communication Standard (29

CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for

ingredients found within this product. Detailed substance and/or ingredient information may be provided in other sections of this SDS. Target organs effects listed in this document may

result from a single overexposure to this product.

**STOT - repeated exposure**No information available.

Chronic Toxicity No known effect based on information supplied.

**Target Organ Effects** Eyes. Respiratory system. Skin.

**Aspiration Hazard** No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)** 5,809.00 mg/kg **ATEmix (dermal)** 46,521.00 mg/kg (ATE)

10,021.00 mg/kg (\*\*\*\*)



Revision Date 11-Mar-2015 1042410 - Nix Creme Rinse

ATEmix (inhalation-dust/mist) 150.00 mg/l ATEmix (inhalation-vapor) 275.30 ATEmix

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity**Very toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Supplier Trade Secret	96h EC50: > 1000 mg/L (Desmodesmus subspicatus) 72h EC50: > 1000 mg/L (Desmodesmus subspicatus)	96h LC50: > 1400000 μg/L (Lepomis macrochirus) 96h LC50: = 11130 mg/L (Pimephales promelas) 96h LC50: = 9640 mg/L (Pimephales promelas)		48h EC50: = 13299 mg/L
Permethrin 52645-53-1		96h LC50: 0.008 - 0.03 mg/L (Pimephales promelas) 96h LC50: 0.001 - 0.009 mg/L (Pimephales promelas) 96h LC50: = 0.015 mg/L (Cyprinus carpio) 96h LC50: 0.0052 - 0.0077 mg/L (Cyprinus carpio) 96h LC50: = 0.00079 mg/L (Lepomis macrochirus) 96h LC50: 0.00049 - 0.00097 mg/L (Oncorhynchus mykiss) 96h LC50: 0.0017 - 0.0048 mg/L (Oncorhynchus mykiss) 96h LC50: 0.00188 - 0.00336 mg/L (Lepomis macrochirus) 96h LC50: = 0.0108 mg/L (Lepomis macrochirus)		

# **Persistence and Degradability**

No information available.

# **Bioaccumulation**

Chemical Name	Log Pow
Supplier Trade Secret	0.05
Supplier Trade Secret	6.65
Permethrin	6.5
52645-53-1	

# Other adverse effects

No information available.

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal methods This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261). Should not be released into the environment. Dispose of contents/containers in accordance with local regulations. Dispose of waste in accordance with environmental

legislation.

**Contaminated Packaging** Dispose of contents/containers in accordance with local regulations.

US EPA Waste Number D001

California Hazardous Waste Codes 311

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Supplier Trade Secret	Toxic Ignitable
Permethrin 52645-53-1	Toxic

# 14. TRANSPORT INFORMATION

DOT

Proper Shipping Name CONSUMER COMMODITY

Hazard Class ORM-D

**Description** CONSUMER COMMODITY, ORM-D

Emergency Response Guide 128

Number

<u>TDG</u>

**UN-No.** UN1993

Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

Hazard Class 3
Packing Group III

Description UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL), 3, III

MEX

**UN-No.** UN1993

Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

Hazard Class 3
Packing Group

Description UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL), 3, III

<u>ICAO</u>

**UN-No.** ID8000

Proper Shipping Name CONSUMER COMMODITY

Hazard Class

**Description** ID8000, CONSUMER COMMODITY, 9

<u>IATA</u>

**UN-No.** ID8000

Proper Shipping Name CONSUMER COMMODITY

Hazard Class 9

**Description** ID8000, CONSUMER COMMODITY, 9

IMDG/IMO

**UN-No.** UN1993

Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

Hazard Class 3
Packing Group III
EmS-No. F-E, S-E

Marine Pollutant Product is a marine pollutant according to the criteria set by IMDG/IMO UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL), 3, III

RID

**UN-No.** UN1993

Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

Hazard Class 3
Packing Group III
Classification code F1

Description UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL), 3, III

ADR

**UN-No.** UN1993

Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

Hazard Class 3
Packing Group III
Classification code F1
Tunnel restriction code (D/E)

Description UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL), 3, III

<u>ADN</u>

**UN-No.** UN1993

**Proper Shipping Name** FLAMMABLE LIQUID, N.O.S.

Hazard Class 3
Packing Group III
Classification code F1

Special Provisions 274, 601, 640E

Description UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL), 3, III

Limited Quantity 5 L Ventilation VE01

# 15. REGULATORY INFORMATION

# International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

IECSC -

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold
			Values %



Supplier Trade Secret -		10 - 30	1.0
Permethrin - 52645-53-1	52645-53-1	1 - 5	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard Yes
Sudden release of pressure hazard No
Reactive Hazard No

# **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

# **U.S. State Right-to-Know Regulations**

.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Isopropyl alcohol 67-63-0	Х	X	Χ	X	
Permethrin 52645-53-1	Х	Х		Х	Х

#### **International Regulations**

#### **Mexico**

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Supplier Trade Secret		Mexico: TWA 400 ppm
(10 - 30)		Mexico: TWA 980 mg/m <sup>3</sup>
		Mexico: STEL 500 ppm
		Mexico: STEL 1225 mg/m <sup>3</sup>

Mexico - Occupational Exposure Limits - Carcinogens

# Canada

# **WHMIS Hazard Class**

Not determined

16. OTHER INFORMATION						
NFPA	Health Hazards 3	Flammability 3	Instability 0	Physical and Chemical Hazards -		
HMIS	Health Hazards 3	Flammability 3	Physical Hazard 0	Personal Protection		
Prepared By	Product Stewardship 23 British American Blvd					

Latham, NY 12110



1-800-572-6501

Issuing Date18-Apr-2013Revision Date11-Mar-2015

Revision Note No information available

# Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

(U)

Page 13/13